FORM PTO-1449 (Rev. 2-32)

U.S. Department of Commerce Patent and Trademark Office

itty. Docket No.	Serial No
------------------	-----------

00-1242

09/936,964



INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)

Applicant:

Ward et al.

Filing Date:

Group:

March 15, 2000

1646

U.S. PATENT DOCUMENTS


Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
						·

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation		
		Document Number					Yes	No	
R.	<u> </u>	WO 98/56416	17 December 1998	PCT	39	395	✓		
V	2.	WO 98/18825	7 May 1998	Australia	16	18	✓		

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

X	1	3.	Ruiz et al. "Idiotypic Immunization Induces Immunity to Mutated p53 and Tumor Rejection" Nature Medicine, Vol. 4, No. 6, June 1998.
		4.	Angelopoulou et al. "Humoral Immune Response Against p53 Protein in Patents with Colorectal Carcinoma" . Int. J. Cancer: 70, 46-51 (1997).
		5.	Kovacs et al. "Concise Communications" Arthritis & Rheumatism, Vol. 40, No. 5, May 1997, pp. 980-985.
	,	6.	Yip et al. "Evaluation of Different Lymphoid Tissue Sources for the Construction of Human Immunoglobulin Gene Libraries" Immunotechnology 3 (1997) 195-203.
		7.	Leitha et al. "Is Early Sestamibi Imaging in Head and Neck Cancer Affected by MDR Status, p53 Expression, or Cell Proliferation?" Nuclear Medicine & Biology, Vol. 25, pp. 539-541, 1998.



EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.



MCDONNELL BOEHNEN HULBERT & BERCHOFF 300 SOUTH WACKER DRIVE CHICAGO, ILLINOIS 60606 TELEPHONE (312) 913-0001

, •	•	_	Sheet 1 o
FORM PTO-1449 (Rev. 2-32)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No.	Serial No. 09/936,964
OIPE	INFORMATION DISCLOSURE STATEMENT BY APPLICANT		
MAR 1 0 2000 200	(Use several sheets if necessary)	Applicant:	
MAR TRADENISTA		Ward, et al. Filing Date:	Group:
		March 15, 2000	1646

U.S. PATENT DOCUMENTS

						Filing
Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
		<u> </u>				

FOREIGN PATENT DOCUMENTS

		1 01	Clair					
							Trans	lation
		Document Number	Date	Country	Class	Subclass	Yes	No
A CONTRACTOR	/1.	WO 98/15834	16 April 1998	PCT				
	1							

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

A	2.	Ko, Linda J. and Prives, Carol, "p53: Puzzle and Paradigm," Department of Biological Sciences, Columbia University, New York 10027 USA, Genes and Development 10: 1054-1072 (1996).
	3.	Soussi, Thierry and May, Pierre, "Structural Aspects of the p53 Protein in Relation to define 2 second Look," J. Mol. Biol. (1996) 260, 623-637.
	4.	Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of
	5.	p53: Distribution of Primary Structure and Expects Computer Corner, "Methods and Reagents, Fidelity of DNA polymerases for PCR," TIBS 20 – August 1995. Computer Corner, "Methods and Reagents, Fidelity of DNA polymerases for PCR," TIBS 20 – August 1995.
	6.	Computer Corner, "Methods and Reagents, recently Policy Phage Display Library as Immunochemical Reagents," Nissim, et al., "Antibody Fragments from a 'Single Pot' Phage Display Library as Immunochemical Reagents," The EMBO Journal, vol. 13, no. 3, pp. 692-698 (1994).
	7.	The EMBO Journal, Vol. 13, No. 3, pp. 632 636 (1997). Chang, Bernard and Casali, Paolo, "The CDR1 Sequences of a Major Proportion of Human Germline Ig VH

MCDONNELL BOEHREN HULBERT & BERGHOFF 300 SOUTH WACKER DRIVE CHICAGO, ILLINOIS 60606 TELEPHONE (312) 913-0001

	 	Genes are Inherently Susceptible to Amino Acid Replacement," Innunogolgy Today, Vol. 15, No. 8 (1994).						
ZAB.	8.	Clark, et al., "Isolation of Human anti-c-erbB-2 Fabs from a Lymph Node-Derived Phage display library," Clin Exp Immunol 109: 166-174 (1997).						
	9.	Ward, et al., "Retrieval of Human Antibodies from Phage-Display Libraries Using Enzymatic Cleavage," Journal of Immunological Methods 189 (1996) 73-82.						
	10.	Chomczynski, Piotr and Sacchi, Nicoletta, "Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Choloroform Extraction," Analytical Biochemistry 16, 158-159 (1987).						
	11.	Coomber, et. al., "Characterisation and Clinicopathological Correlates of Serum Anti-p53 Antibodies in Breast and Colon Cancer," J Cancer Res Clin Oncol (1996) 122: 757-762.						
	12.	Abrams, et al., "Optimal Strategies for Developing Human-Human Monoclonal Antibodies," Methods in Enzymology, vol. 121 (1986).						
	13.	Winter, et al., "Development of Antibodies against p53 in Lung Cancer Patients Appears To Be Dependent on the Type of p53 Mutation," Cancer Research 52, 4168-4174, August 1, 1992.						
	14.	Vogelstein, Bert and Kinzler, Kenneth W., "p53 Function and Dysfunction," Cell, Vol. 70, 532-526, August 21, 1992.						
	15.	Hollstein, et al., "p53 Mutations in Human Cancers," Science, vol. 253, 5 July 1991.						
	16.	Pavletich, et al., "The DNA-Binding Domain of p53 Contains the Four Conserved Regions and the Major Mutation Hot Spots," Genes and Development 7:2556-2564, 1993.						
	17.	Smith, George P., "Filamentous Fusion Phage: Novel Expression Vectors that Display Cloned Antigens on the Viron Surface.						
	18.	Nagesha, et al., "Application of linker-litigation-PCR for Construction of Phage Display Epitope Libraries," Journal of Virological Methods 60 (1996) 147-154.						
	19.	Petersen, et al., "Mapping of Linear Epitopes Recognized by Monoclonal Antibodies with Gene-Fragment Phage Display Libraries," Gen Genet (1995) 249: 425-431.						
	20.	Welschof, et al., "The Antigen-Binding Domain of a Human IgG-Anti F(ab') ₂ Autoantibody," Proc. Natl. Acad. Sci. JSA Vol. 94, pp. 1902-1907, March 1997 Immunology.						
	21.	Database Swiss-Prot, accession number P01625, 21 July 1996.						
Ψ	22.	Database PIR, accession number s58207, 13 January 1996.						
EXAMINER								
	$/\tilde{\chi}$	DATE CONSIDERED						
	- (/ `	11/22/05						

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

MCDONNELL BOEMNEN HULBERT & BERGHOFF 300 SOUTH WACKER DRIVE CHICAGO, ILLINOIS 60606 TELEPHONE (312) 913-0001

Sheet 1 of 2

FORM PTO-1440 (Rev. 2-32)

,

U.S. Department of Commerce Patent and Trademark Office

Atty. Docket No.

Serial No.

01-1242

09/936,964

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

RECEIVED

FEB 0 6 2003

TECH CENTER 1600/2900

Applicant:

Ward, et al.

Filing Date:

Group:

March 15, 2000

1646

U.S. PATENT DOCUMENTS

Examiner . Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENTS

		Document Number			Date	Country	Class	Subclass	Trans	slation			
	}	i	Jocun	nent i	Mump	er		Date	 Country	Class Subclass	Yes	No	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

TA	1. ,	Ko, Linda J. and Prives, Carol, "p53: Puzzle and Paradigm," Department of Biological Sciences, Columbia University, New York 10027 USA, Genes and Development 10: 1054-1072 (1996).
ì	2	Soussi, Thierry and May, Pierre, "Structural Aspects of the p53 Protein in Relation to Gene Evolution: A Second Look," J. Mol. Biol. (1996) 260, 623-637.
	3	Lubin, et al., "Analysis of p53 Antibodies in Patients with Various Cancers Define B-Cell Epitopes of Human p53: Distribution of Primary Structure and Exposure on Protein Surface," 5872-5876, December 15, 1993.
	4.	Computer Corner, "Methods and Reagents, Fidelity of DNA polymerases for PCR," TIBS 20 – August 1995.
	5.	Nissim, et al., "Antibody Fragments from a 'Single Pot' Phage Display Library as Immunochemical Reagents," The EMBO Journal, vol. 13, no. 3, pp. 692-698 (1994).
	6.	Chang, Bernard and Casali, Paolo, "The CDR1 Sequences of a Major Proportion of Human Germline Ig Vн

•;

ſ		<u></u>			Genes are Interently Suscentible to Amino Acid Par	Nacement " Innunggolay Today Vol. 15 No. 9 (1004)	
1	10×	-50			Genes are Inherently Susceptible to Amino Acid Replacement," Innunogolgy Today, Vol. 15, No. 8 (1994).		
			B	<u>. [2</u>	Clark, et al., "Isolation of Human anti-c-erbB-2 Fabs from a Lymph Node-Derived Phage display library," Clin Exp Immunol 109: 166-174 (1997).		
	Ward, et al., "Retrieval of Human Antibodies from Phage-Display Libraries Using Enzymatic Cleavage of Immunological Methods 189 (1996) 73-82.		nage-Display Libraries Using Enzymatic Cleavage," Journal				
		HADA		9.	Chomczynski, Piotr and Sacchi, Nicoletta, "Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Choloroform Extraction," Analytical Biochemistry 16, 156-159 (1987).		
i				10. •			
				11.	Abrams, et al., "Optimal Strategies for Developing Human-Human Monoclonal Antibodies," Methods in Enzymology, vol. 121 (1986).		
				12.,	Winter, et al., "Development of Antibodies against p53 in Lung Cancer Patients Appears To Be Dependent on the Type of p53 Mutation," Cancer Research 52, 4168-4174, August 1, 1992.		
13. Vogelstein, Bert and Kinzler, Kenneth W 1992.			tion and Dysfunction," Cell, Vol. 70, 532-526, August 21,				
	14. Hollstein, et al., "p53 Mutations in Human C		Hollstein, et al., "p53 Mutations in Human Cancers,"	Science, vol. 253, 5 July 1991.			
	EXAMINER			_		DATE CONSIDERED	
		\mathcal{L}	1000	11/22/05			

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

RECEIVED
FEB 0 6 2003
TECH CENTER 1600/2900